

BATAAN PENINSULA STATE UNIVERSITY						
Capitol Compound, City of Balanga, Bataan 2100						
OFFICIAL BIDDING FORM						
Item No.	Qty.	Unit	Specifications	Offer (Brand)	Unit Cost	Total Cost
LOT 1 - ELECTRONICS EQUIPMENT						
1	1	Unit	LED Wall (Audio-Visual Room) - P3.91 Indoor Movable LED Display (9ft x 12ft) - Panel Size: 500mm x 1000mm - Inclusive of: LED software, module, power supply, receiving card, backing plates, ground support and flight case - Main Power Cable 10m - Main Signal Cable 10m - Cat-6 Ethernet Cable (home run) 10m - Cat-6 Ethernet Cable (signal link) - Inclusive of delivery, installation, steelworks, training and tutorial - With warranty of at least one year		1,587,000.00	1,587,000.00
2	1	Unit	LED Wall (Lobby) - P3.91 Indoor LED Display (4.5ft x 6ft) wall mount - Inclusive of: LED software, control box, power supply cable, panel power supply cable, backing plates and flight case - Main Power Cable 10m - Main Signal Cable 10m - Cat-6 Ethernet Cable (home run) - Cat-6 Ethernet Cable (signal link) - Inclusive of delivery, installation, steelworks, training and tutorial - With warranty of at least one year		673,210.00	673,210.00
3	1	Unit	Sound System (Audio Visual Room) Inclusive of: - 12/6 Channel Audio Mixer - 12"2 way Active Full Range Speaker - 18" Active Sub-woofer - 10"2 way full range Active Speaker - Digital Dual Handheld Wireless Mic - Microphone Cables - Patch Cord and Cables - 8-Channel Power Distribution Rackmount - 10 RU Equipment Rack - Mic Stand - Speaker Stand - With supply, delivery, installation, configuration, setup, and testing		498,940.00	498,940.00
4	1	Unit	Sound System (Conference Room) Inclusive of: - 12/6 Channel Audio Mixer - 15"2 way Full Range Powered Speaker - Digital Wireless Dual Handheld Mic - Microphone Cables - Patch Cord and Cables - 8-Channel Power Distribution Rackmount - 10 RU Equipment Rack - Mic Stand - Speaker Stand - With supply, delivery, installation, configuration, setup, and testing		441,600.00	441,600.00

5	1	Unit	Sound System with Installation (Open Areas - 1st & 2nd floor) Inclusive of:- 12/6 Channel Audio Mixer- 15"2 way Full Range Powered Speaker- 10"2 way Full Range Active Speaker- Digital Dual Wireless Handheld Mic- Microphone Cables- Patch Cord and Cables- 8-Channel Power Distribution Rackmount- Mic Stand- Speaker Stand- With supply, delivery, installation, configuration, setup, and testing		431,250.00	431,250.00
Sub-Total Amount						3,632,000.00
LOT 2 - ICT EQUIPMENT						
1	1	Unit	86" Interactive Board with Stand, Built in Camera and Microphone for Video Conferencing and Presentations Built-in System CPU Frequency 2.2 GHz + 2.0 GHz GPU ARM Mali-G52 MP8 (8EE) Operating System Android 11.0 CPU Quad-core A73 + Quad-core A53 RAM 12 GB (System: 8 GB, Camera: 4 GB) ROM 64 GB Function Operating System of External Module Windows 7/8/10;Android WiFi Dual-band 2.4 G/5 G; supports 802.11 a/b/g/n/ac wireless frequency range LCD Panel Panel Dimensions 86-inch Aspect Ratio 16:9 Camera Pixel 48 MP Max. Resolution 3840 x 2160@30fps Storage 8 GB eMMC Device Ports Front Ports 1 x USB 3.0 (left side) Network Port 1 x RJ-45 Wi-Fi 1 x Wi-Fi USB 3 x USB 3.0; 1 x Micro USB Video Input 1 x HDMI IN Video Output 1 x HDMI OUT Audio Output 1 x 3.5 mm (Line OUT) port Others Touch IrDA Microphone 8 Array Type-C Port 1 x Type-C Touchscreen Touch Technology Type Infrared touch technology Writing Mode Finger + Pen (attaches magnetically) Anti-light Interference Anti-dazzle tempered glass Number of Multi-user Writing Points 10 Speaker Frequency 150 Hz-20 kHz Built-in Speaker 3		595,000.00	595,000.00

			Microphone Echo Cancellation Intelligent Noise Filtering Packing List Smart Interactive whiteboard x 1 Power cord x 3 Stylus pen x 2 Quick start guide x 1 Wall mount bracket (already installed on the whiteboard): x 1 Accessory package x 1 Remote control x 1 Mobile stand x 1			
2	1	Unit	Interactive Touch Screen Kiosk 32 Inch Touchscreen windows and android compatible with Kiosk Stand		200,000.00	200,000.00
3	3	Unit	Desktop Processor i7 12th gen, Memory: 16gb:motherboard:H610 LGA1700 m-ATX, Storage: 1TB SSD/NVME Powersupply:700W 80+ Non-Modular PSU, Case:Mid-Tower ATX Casing, Monitor:24 IPS 75hz Flat 1920x1080, UPS:360 Watts Circuit Breaker with. Webcam: 1080p, USB WiFi Dongle: AC1300 Wireless Dual Band USB, OS windows 11		65,000.00	195,000.00
4	4	Unit	Laptop Processor i7 13th gen, Memory:16gb, storage: SSD/NVME, Screen Size 14 or higher, Resolution: FHD(1920x1080 or higher) 16:9, Wifi, Wifi/Bluetooth: Wi-Fi 6(802.11az)+Bluetooth 5.2 (Dual band), Webcam:720p or higher, OS: Windows 11		75,000.00	300,000.00
5	2	Unit	A3 Printer Maximum Print Resolution: 5760x1440 dpi (with Variable-Sized Droplet Technology) Minimum ink Droplet Volume: 3pl Automatic Duplex Printing: No Black Nozzle Configuration: 360 Colour Nozzle Configuration: 59 per colour (Cyan, Magenta, Yellow) Print Direction: Bi-directional printing, Uni-directional printing Print Speed: Photo Default -10 x 15 cm / 4 x 6 " *2: Approx. 58 sec per photo (with Border) *1 Max Photo Draft - 10 x 15 cm / 4 x 6 " *2: Approx. 31 sec per photo (with Border) *1 Draft, A4 (Black / Colour):Approx. 30 ppm / 17 ppm *1 ISO 24734, A4 Simplex (Black / Colour?):Approx. 15 ipm / 5.5ipm*1 Paper Handling:Number of Paper Trays:1 Maximum Paper Size:12.95 x 44" Paper Sizes:A3+, A3, B4, A4, A5, A6, B5, 10x15cm (4x6),13x18cm (5x7"), 16:9 wide size, Letter (8.5x11), Legal(8.5x14"). Half Letter (5.5x8.5"), 9x13cm (3.5x5").13x20cm(5x8"). Envelopes: #10(4.125x9.5") DL(110x220mm), C4 (229x324mm), C6(114x162mm) Supported OS:Windows XP / Vista / 7 / 8 / 8.1 / 10 Consumables: Standard Capacity Black:7, 100 pages *3 (2bottles of black ink) - T6641 Standard Capacity Cyan:5,700 pages (Composite Yield) *3 - T6642 Electrical Specifications: Rated Voltage:AC 100-240VRated Frequency:50~60Hz Operating: 20W Sleep: 1.6W Power Off: 0.4W Standby: 6.9W Power: Rated Voltage:220-240V		25,000.00	50,000.00

6	1	Unit	Biometrics 2.8-inch TFT Screen - Face Capacity 3,000 (Optional: 5,000) - Fingerprint Capacity 3,000 (Optional: 5,000) - Card Capacity 10,000 (Optional) - Transaction Capacity 100,000 (Optional: 200,000) - Communication TCP/IP, WiFi (Optional), USB Host - Standard Functions ADMS, Work Code, DST, Self-service Query, Automatic Status Switch, T9 Input, Photo ID, Masks Detection, Camera, 14-digit User ID, Multiple Verify Modes, Schedule Bell - Hardware 900MHZ Dual Core CPU; Memory 512MB RAM / 8G ROM; 2MP WDR Low Light Camera; Ajustable LED Supplement Lighting; - Operation System Linux - Access Control Interface 3rd party Electric Lock, Door Sensor, Exit Button - Optional Functions 125KHz ID Card (EM) / 13.56 MHz IC Card - Biometrics Algorithms ZKFace V5.8 & ZKFinger V10.0 - Facial Recognition Speed ≤1s		28,000.00	28,000.00
Sub-Total Amount						1,368,000.00
Indicate and attach the brand/samples/brochures of the items being offered				Total ABC	5,000,000.00	
Nothing Follows						

Note;

1. All Entries must be typewritten
2. Delivery period within 30 calendar days for each lot from the commencement date indicated in the NTP
3. Warranty security shall be required from the contract awardee for a minimum period of three (3) months, in the case of Expendable Supplies/Expiration of the products must be at least one (1) year from the date of delivery
4. Price validity shall be for a period of 120 calendar days
5. G-EPS Registration Certificate shall be attached upon submission of the quotation
6. Bidders shall submit original brochures showing certifications of the product being offered

After having carefully read and accepted your General Conditions, I/We quote on the item/s at prices noted above

Printed Name with Signature

Telephone/Cellphone No.

E-mail Address